

**Safety Data Sheet
ZETA 1 ULTRA****Revision nr. 7
Dated 20/04/2020****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

Mixture identification:

Product Name: ZETA 1 ULTRA
Code: C810000, C810003**1.2. Relevant identified uses of the substance or mixture and uses advised against**








For professional use only. Concentrated disinfectant and detergent for surgical and rotating instruments.

1.3. Details of the supplier of the safety data sheetName
Zhermack S.p.a
Via Bovazecchino 100
45021 Badia Polesine (RO)
Italy
tel. +39 0425-597611
fax +39 0425-597689Competent person responsible for the safety data sheet:
msds@zhermack.com**1.4. Emergency telephone number**

UK Emergency number: 999 (24 hours)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture**

EC regulation criteria 1272/2008 (CLP)

-  Warning, Acute Tox. 4, Harmful if swallowed.
-  Danger, Skin Corr. 1C, Causes severe skin burns and eye damage.
-  Danger, Eye Dam. 1, Causes serious eye damage.
-  Warning, STOT SE 3, May cause respiratory irritation.
-  Warning, STOT RE 2, May cause damage to organs through prolonged or repeated exposure.
-  Warning, Aquatic Acute 1, Very toxic to aquatic life.
-  Warning, Aquatic Chronic 1, Very toxic to aquatic life with long lasting effects.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Safety Data Sheet
ZETA 1 ULTRA

Danger

Hazard statements:

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

- P260 Do not breathe vapours.
- P273 Avoid release to the environment.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER.

Special Provisions:

None

Contains

- N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine
- Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides
- 2-aminoethanol; ethanolamine
- Isotridecanol, ethoxylated

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

Classification of the mixture, with an extreme pH value, is based on the results of an in vitro test carried out in accordance with OECD guidelines (OECD Guidelines for the Testing of Chemicals, Part 435, adopted 28. Jul. 2015 "In vitro membrane Barrier Test Method for Skin Corrosion") and GLP certified - Good Laboratory Practices. For more information refer to section 11.

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards







SECTION 3: Composition/information on ingredients

3.1. Substances

Not Applicable

























3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	Ident. Number	Classification
>= 15% - < 20%	N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine	CAS: 2372-82-9 EC: 219-145-8 REACH No.: 01-21199805 92-29-XXXX	 3.3/1 Eye Dam. 1 H318  3.9/2 STOT RE 2 H373  4.1/A1 Aquatic Acute 1 H400 M=10.  4.1/C1 Aquatic Chronic 1 H410 M=1.  3.1/3/Oral Acute Tox. 3 H301  3.2/1A Skin Corr. 1A H314

Safety Data Sheet

ZETA 1 ULTRA

>= 15% - < 20%	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAS: 68424-85-1 EC: 270-325-2 REACH No.: 01-21199705 50-39-XXXX	 4.1/A1 Aquatic Acute 1 H400 M=10.  4.1/C1 Aquatic Chronic 1 H410 M=1.  3.1/4/Oral Acute Tox. 4 H302  3.2/1B Skin Corr. 1B H314
>= 12.5% - < 15%	2-aminoethanol; ethanolamine	Index number: 603-030-00-8 CAS: 141-43-5 EC: 205-483-3 REACH No.: 01-21194864 55-28-XXXX	 3.8/3 STOT SE 3 H335  4.1/C3 Aquatic Chronic 3 H412  3.1/4/Oral Acute Tox. 4 H302  3.1/4/Dermal Acute Tox. 4 H312  3.1/4/Inhal Acute Tox. 4 H332  3.2/1B Skin Corr. 1B H314
>= 1% - < 3%	Isotridecanol, ethoxylated	CAS: 69011-36-5	 3.1/4/Oral Acute Tox. 4 H302  3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	Alcohols, C12-14, ethoxylatedpropoxylation	CAS: 68439-51-0	4.1/C3 Aquatic Chronic 3 H412
>= 1% - < 3%	D-glucopyranose, oligomeric, C10-16-alkyl glycosides	CAS: 110615-47-9 REACH No.: 01-21194894 18-23-XXXX	 3.2/2 Skin Irrit. 2 H315  3.3/1 Eye Dam. 1 H318
>= 1% - < 3%	N-dodecylpropane-1,3-diamine	CAS: 5538-95-4 EC: 226-902-6	 4.1/A1 Aquatic Acute 1 H400 M=1.  3.1/4/Oral Acute Tox. 4 H302  3.2/1A Skin Corr. 1A H314
>= 1% - < 3%	D-Glucopyranose, oligomers, decyl octyl glycosides	CAS: 68515-73-1 EC: 500-220-1 REACH No.: 01-21194885 30-36-XXXX	 3.3/1 Eye Dam. 1 H318
>= 0.1% - < 0.25%	Dodecylamine	CAS: 124-22-1 EC: 204-690-6	 3.10/1 Asp. Tox. 1 H304  3.8/3 STOT SE 3 H335  3.9/2 STOT RE 2 H373  4.1/A1 Aquatic Acute 1 H400 M=10.  4.1/C1 Aquatic Chronic 1 H410 M=10.  3.2/1B Skin Corr. 1B H314

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

Safety Data Sheet ZETA 1 ULTRA

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do NOT induce vomiting.

Give nothing to eat or drink.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non emergency personnel:

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

For emergency responders:

Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

Safety Data Sheet

ZETA 1 ULTRA

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.
 Use localized ventilation system.
 Don't use empty container before they have been cleaned.
 Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.
 See also section 8 for recommended protective equipment.
 Advice on general occupational hygiene:
 Contaminated clothing should be changed before entering eating areas.
 Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.
 Incompatible materials:
 None in particular.
 Instructions as regards storage premises:
 Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ZETA 1 ULTRA

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine - CAS: 2372-82-9

OEL Type	TWA		Duration	STEL		Duration	Notes	Country
MAK	0.05 mg/m ³		8h	0.4 mg/m ³		15min	Inhalable	SWITZERLAND
MAK	0.05 mg/m ³		8h	0.4 mg/m ³		15min	Inhalable	GERMANY

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - CAS: 68424-85-1

OEL Type	TWA		Duration	STEL		Duration	Notes	Country
No data available								

2-aminoethanol; ethanolamine - CAS: 141-43-5

OEL Type	TWA		Duration	STEL		Duration	Notes	Country
AGW	0.5 mg/m ³	0.2 ppm	8h	0.5 mg/m ³	0.2 ppm	15min	Inhalable fraction and vapour	GERMANY
MAK	0.51 mg/m ³	0.2 ppm	8h	0.51 mg/m ³	0.2 ppm	15min	Inhalable fraction and vapour	GERMANY
VME/VLE	5 mg/m ³	2 ppm	8h	10 mg/m ³	4 ppm	15min		SWITZERLAND
MV	2.5 mg/m ³	1 ppm	8h	7.6 mg/m ³	3 ppm	15min		SLOVENIA
MAK	5	2 ppm	8h	10	4 ppm	15min		SWITZERLAND

Safety Data Sheet

ZETA 1 ULTRA

	mg/m3			mg/m3				ND
AK	2.5 mg/m3		8h	7.6 mg/m3		15min		HUNGARY
GVI/KGVI	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		CROATIA
HTP	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		FINLAND
MAK	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		AUSTRIA
NDS/NDSch	2.5 mg/m3		8h	7.5 mg/m3		15min		POLAND
NGV/KGV	2.5 mg/m3	1 ppm	8h	7.5 mg/m3	3 ppm	15min		SWEDEN
NPEL	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		SLOVAKIA (Slovak Republic)
EU	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm		Skin	
OELV	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		IRELAND
RD	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		LITHUANIA
RV	0.5 mg/m3	0.2 ppm	8h	7.6 mg/m3	3 ppm	15min		LATVIA
TGG	2.5 mg/m3		8h	7.6 mg/m3		15min		NETHERLAN DS
TLV	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		GREECE
TLV	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		ESTONIA
TLV	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		MALTA
TLV	2.5 mg/m3	1 ppm	8h					NORWAY
TLV	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		ROMANIA
TLV	2.5 mg/m3	1 ppm	8h	5 mg/m3	2 ppm	15min		DENMARK
TLV	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		BULGARIA
VL	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		LUXEMBOUR G
VLE	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		PORTUGAL
VLEP	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		FRANCE
VLEP	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min	Skin	ITALY
VLEP	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		BELGIUM
WEL	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min		UNITED KINGDOM
VLA	2.5 mg/m3	1 ppm	8h	7.6 mg/m3	3 ppm	15min	Skin	SPAIN

Safety Data Sheet

ZETA 1 ULTRA

ACGIH		3 ppm	8h		6 ppm		Eye and skin irr	
TLV-ACGIH		3 ppm	8h		6 ppm	15min	Eye and skin irr	

Isotridecanol, ethoxylated - CAS: 69011-36-5

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
No data available								

Alcohols, C12-14, ethoxylatedpropoxylated - CAS: 68439-51-0

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
No data available								

D-glucopyrasone, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
No data available								

N-dodecylpropane-1,3-diamine - CAS: 5538-95-4

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
No data available								

D-Glucopyranose, oligomers, decyl octyl glycosides - CAS: 68515-73-1

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
No data available								

Dodecylamine - CAS: 124-22-1

OEL Type	TWA		Duratio n	STEL		Duratio n	Notes	Country
No data available								

DNEL Exposure Limit Values

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine - CAS: 2372-82-9

Consumer: 0.2 mg/kg/d - Exposure: Human Oral - Frequency: Short Term, systemic effects

Consumer: 0.7 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 2.35 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 0.54 mg/cm² - Exposure: Human Dermal - Frequency: Short Term, systemic effects

Worker Professional: 0.92 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

2-aminoethanol; ethanolamine - CAS: 141-43-5

Safety Data Sheet
ZETA 1 ULTRA

Worker Professional: 3.3 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Consumer: 2 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, local effects

Worker Professional: 1 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 0.24 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Consumer: 3.75 mg/kg/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

D-glucopyrasone, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

Consumer: 35.7 mg/kg bw/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 124 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 420 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 357000 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 595000 mg/kg bw/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

D-Glucopyranose, oligomers, decyl octyl glycosides - CAS: 68515-73-1

Consumer: 35.7 mg/kg/d - Exposure: Human Oral - Frequency: Long Term, systemic effects

Consumer: 124 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Worker Professional: 420 mg/m³ - Exposure: Human Inhalation - Frequency: Long Term, systemic effects

Consumer: 357000 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

Worker Professional: 595000 mg/kg/d - Exposure: Human Dermal - Frequency: Long Term, systemic effects

PNEC Exposure Limit Values

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine - CAS: 2372-82-9

Target: Fresh Water - Value: 0.001 mg/l

Target: Marine water - Value: 0 mg/l

Target: Freshwater sediments - Value: 8.5 mg/kg

Target: Marine water sediments - Value: 0.85 mg/kg

Target: intermittent release - Value: 0 mg/l

Target: Microorganisms in sewage treatments - Value: 1.33 mg/l

Target: Soil (agricultural) - Value: 45.34 mg/kg

2-aminoethanol; ethanolamine - CAS: 141-43-5

Target: Soil (agricultural) - Value: 0.037 mg/kg

Target: intermittent release - Value: 0.025 mg/l

Target: Freshwater sediments - Value: 0.434 mg/kg

Target: Marine water sediments - Value: 0.043 mg/kg

Target: Microorganisms in sewage treatments - Value: 100 mg/l

Target: Fresh Water - Value: 0.085 mg/l

Target: Marine water - Value: 0.009 mg/l

D-glucopyrasone, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

Target: Fresh Water - Value: 0.176 mg/l

Target: Marine water - Value: 0.018 mg/l

Target: Freshwater sediments - Value: 1.516 mg/kg

Target: Marine water sediments - Value: 0.065 mg/kg

Target: Microorganisms in sewage treatments - Value: 5000 mg/l

Target: Food chain - Value: 111.11 mg/kg

Safety Data Sheet

ZETA 1 ULTRA

Target: Soil (agricultural) - Value: 0.654 mg/kg
 Target: intermittent release - Value: 0.029 mg/l
 D-Glucopyranose, oligomers, decyl octyl glycosides - CAS: 68515-73-1
 Target: Fresh Water - Value: 0.176 mg/l
 Target: Marine water - Value: 0.018 mg/l
 Target: Freshwater sediments - Value: 1.516 mg/kg
 Target: Marine water sediments - Value: 0.152 mg/kg
 Target: intermittent release - Value: 0.27 mg/l
 Target: Microorganisms in sewage treatments - Value: 560 mg/l
 Target: Food chain - Value: 111.11 mg/kg
 Target: Soil (agricultural) - Value: 0.654 mg/kg

8.2. Exposure controls

Precautionary measures:

Give adequate ventilation to the premises where the product is stored and/or handled.

Eye protection:

Wear airtight protective goggles.

Protection for skin:

Wear professional overalls and safety footwear.

Protection for hands:

Permeation Resistance. Class: G, D, O.

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

Respiratory protection:

Mask with filter ABEK

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered (e.g. TLV-TWA).

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Appearance and colour:	Liquid, green	--	--
Odour:	Characteristic	--	--
Odour threshold:	Not available	--	--
pH:	12.6	--	--
Melting point / freezing point:	-8°C	--	--
Initial boiling point and boiling range:	>100°C	--	--
Flash point:	> 135°C ° C	EN ISO 3679	--
Evaporation rate:	Not available	--	--
Solid/gas flammability:	Not Relevant	--	--
Upper/lower flammability or explosive limits:	Not available	--	--
Vapour pressure:	Not available	--	--
Vapour density:	Not available	--	--

Safety Data Sheet

ZETA 1 ULTRA

Relative density:	1.01 g/cm ³	--	--
Solubility in water:	Soluble	--	--
Solubility in oil:	Not available	--	--
Partition coefficient (n-octanol/water):	Not available	--	--
Auto-ignition temperature:	Not available	--	--
Decomposition temperature:	Not available	--	--
Viscosity:	160 cP	Brookfield; ULA, 23°C, 45 RPM	--
Explosive properties:	Not available	--	--
Oxidizing properties:	Not available	--	--

9.2. Other information

Properties	Value	Method:	Notes
Miscibility:	Not available	--	--
Fat Solubility:	Not available	--	--
Conductivity:	Not available	--	--
Substance Groups relevant properties	Not available	--	--

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

None

10.4. Conditions to avoid

Heat, direct sunlight.

10.5. Incompatible materials

Strong acids and alkalis, peroxides, metal powders, strong oxidants and free radical initiators.

10.6. Hazardous decomposition products

None.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the product:

ZETA 1 ULTRA

a) acute toxicity

The product is classified: Acute Tox. 4 H302

ATEmix - Oral 772.029 mg/kg bw

b) skin corrosion/irritation

The product is classified: Skin Corr. 1C H314

Test: In vitro - Notes: Cat. 1C - Skin Corrosive - Source: (OECD 435, study report 2018).

c) serious eye damage/irritation

The product is classified: Eye Dam. 1 H318

Test: In vitro - Eye Corrosive - Source: (OECD 435, study report 2018).

d) respiratory or skin sensitisation

Not classified

Safety Data Sheet
ZETA 1 ULTRA

- e) germ cell mutagenicity
Not classified
- f) carcinogenicity
Not classified
- g) reproductive toxicity
Not classified
- h) STOT-single exposure
The product is classified: STOT SE 3 H335
- i) STOT-repeated exposure
The product is classified: STOT RE 2 H373
- j) aspiration hazard
Not classified

Toxicological information of the main substances found in the product:

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine - CAS: 2372-82-9

- a) acute toxicity:
 - Test: LD50 - Route: Skin - Species: Rat > 600 mg/kg - Source: (OECD TG 402, MSDS supplier).
 - Test: LD50 - Route: Oral - Species: Rat 243.6 mg/kg - Source: (OECD TG 401, MSDS supplier).
- b) skin corrosion/irritation:
 - Species: Rabbit - Skin Corrosive - Source: (OECD 404, MSDS supplier).
- c) serious eye damage/irritation:
 - Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier).
- d) respiratory or skin sensitisation:
 - Test: Skin Sensitization - Species: Guinea pig - Negative - Source: (OECD 406, Buehler Test, MSDS supplier).
- e) germ cell mutagenicity:
 - Test: In vitro - Negative - Source: (OECD 471, 476, 473; MSDS supplier).
- f) carcinogenicity:
 - Species: Rat - Negative - Source: (OECD 453, MSDS supplier).
- g) reproductive toxicity:
 - Species: Rat - Negative - Source: (MSDS supplier).
- i) STOT-repeated exposure:
 - Test: NOAEL - Route: Oral - Species: Rat 9 mg/kg - Source: (OECD TG 408, MSDS supplier).
 - Test: NOAEL - Route: Skin - Species: Rat 15 mg/kg - Source: (US-EPA, MSDS supplier).

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - CAS: 68424-85-1

- a) acute toxicity:
 - Test: LD50 - Route: Skin - Species: Rabbit 3412 mg/kg - Duration: 18207_24H - Source: (MSDS supplier).
 - Test: LD50 - Route: Oral - Species: Rat 344 mg/kg - Source: (MSDS supplier).
 - Test: LC50 - Route: Inhalation - Species: Rat 0.25 mg/l - Duration: 4h - Source: (OECD 403, MSDS supplier).
- b) skin corrosion/irritation:
 - Species: Rabbit - Skin Corrosive - Source: (DOT, MSDS supplier).
- c) serious eye damage/irritation:
 - Species: Rabbit - Eye Corrosive - Source: (DOT, MSDS supplier).
- d) respiratory or skin sensitisation:

**Safety Data Sheet
ZETA 1 ULTRA**

- Test: Skin Sensitization - Species: Guinea pig - Negative - Source: (OECD 406, MSDS supplier).
- e) germ cell mutagenicity:
Test: In vitro - Negative - Source: (OECD 471; 473, MSDS supplier).
- f) carcinogenicity:
No data available for the product
- g) reproductive toxicity:
No data available for the product
- h) STOT-single exposure:
No data available for the product
- i) STOT-repeated exposure:
No data available for the product
- j) aspiration hazard:
No data available for the product
- 2-aminoethanol; ethanolamine - CAS: 141-43-5
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat 1515 mg/kg - Source: (OECD 401, MSDS supplier).
Test: LC50 - Route: Inhalation - Species: Rat > 1.3 mg/l - Duration: ZHE_6H - Source: (IRT, MSDS supplier).
Test: LD50 - Route: Skin - Species: Rabbit 2504 mg/kg - Source: (OECD 402, MSDS supplier).
- b) skin corrosion/irritation:
Species: Rabbit - Skin Corrosive - Source: (OECD 404, MSDS supplier).
- c) serious eye damage/irritation:
Species: Rabbit - Eye Corrosive - Source: (OECD 405, MSDS supplier).
- d) respiratory or skin sensitisation:
Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, MSDS supplier).
- Isotridecanol, ethoxylated - CAS: 69011-36-5
- a) acute toxicity:
Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: (OECD 423, ECHA dossier).
Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: (OECD 402, ECHA dossier).
Test: LC50 - Route: Inhalation - Species: Rat > 1.6 mg/l - Duration: 4h - Source: (OECD 403, ECHA dossier).
- b) skin corrosion/irritation:
Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 404, MSDS supplier).
- c) serious eye damage/irritation:
Species: Rabbit - Eye Corrosive - Source: (Draize test, MSDS supplier).
- Alcohols, C12-14, ethoxylatedpropoxylated - CAS: 68439-51-0
- a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rat > 5000 mg/kg - Source: (SDS supplier).
Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: (OECD 401, SDS supplier).
- b) skin corrosion/irritation:
Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 404, MSDS supplier).
- c) serious eye damage/irritation:
Species: Rabbit - Based on available data, the classification criteria are not met - Source: (Draize test, MSDS supplier).
- d) respiratory or skin sensitisation:

Safety Data Sheet
ZETA 1 ULTRA

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, Guinea pig maximization test, MSDS supplier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (OECD 471, Ames test, MSDS supplier).

f) carcinogenicity:

No data available for the product

g) reproductive toxicity:

No data available for the product

i) STOT-repeated exposure:

Route: Oral - Negative - Source: (MSDS supplier).

D-glucopyrasone, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rabbit > 2000 mg/kg - Source: (similar to OECD 402, GLP, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg - Source: (OECD 401, GLP, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit Yes - Skin Irritant - Source: (OECD 404, GLP, in vivo, ECHA dossier).

c) serious eye damage/irritation:

Species: Rabbit Yes - Eye Corrosive - Source: (OECD 405, GLP, in vivo, ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Species: Guinea pig - Based on available data, the classification criteria are not met - Source: (OECD 406, GLP, in vivo, ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro - Negative - Source: (OECD 473, GLP, ECHA dossier).

Test: In vivo - Species: Rat - Negative - Source: (OECD 474, GLP, ECHA dossier).

g) reproductive toxicity:

Test: Reproductive Toxicity - Route: Oral - Species: Rat - Negative - Source: (OECD 421, ECHA dossier).

Test: Developmental toxicity - Route: Oral - Species: Rat - Negative - Source: (OECD 414, ECHA dossier).

i) STOT-repeated exposure:

Route: Oral - Species: Rat - Based on available data, the classification criteria are not met - Source: (EU Method B.26, ECHA dossier).

D-Glucopyranose, oligomers, decyl octyl glycosides - CAS: 68515-73-1

a) acute toxicity:

Test: LD50 - Route: Skin - Species: Rat > 2000 mg/kg - Source: (OECD 402, GLP, ECHA dossier).

Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg - Source: (OECD 423, GLP, ECHA dossier).

b) skin corrosion/irritation:

Species: Rabbit - Based on available data, the classification criteria are not met - Source: (OECD 404, GLP, in vivo, ECHA dossier).

c) serious eye damage/irritation:

Species: Rabbit - Eye Corrosive - Source: in vivo, ECHA dossier).

d) respiratory or skin sensitisation:

Test: Skin Sensitization - Based on available data, the classification criteria are not met - Source: (read-across, EU Method B.6, GLP, in vivo, ECHA dossier).

e) germ cell mutagenicity:

Test: In vitro Negative - Source: (similar to OECD 476, GLP, mammalian cell gene mutation assay, ECHA dossier).

f) carcinogenicity:

No data available for the product

g) reproductive toxicity:

Safety Data Sheet
ZETA 1 ULTRA

- No data available for the product
- h) STOT-single exposure:
No data available for the product
- i) STOT-repeated exposure:
No data available for the product
- j) aspiration hazard:
No data available for the product
- Dodecylamine - CAS: 124-22-1
- a) acute toxicity:
Test: LD50 - Route: Skin - Species: Rat 2000 mg/kg - Source: (ECHA dossier).
Test: LD50 - Route: Oral - Species: Rat 2000 mg/kg - Source: (ECHA dossier).

SECTION 12: Ecological information**12.1. Toxicity**

Adopt good working practices, so that the product is not released into the environment.
ZETA 1 ULTRA

The product is classified: Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410
N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine - CAS: 2372-82-9

- a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Daphnia 0.073 mg/l - Duration h: 48h (US_EPA, Daphnia magna, MSDS supplier).
Endpoint: IC50 - Species: Algae 0.054 mg/l - Duration h: 72h (US-EPA, Pseudokirchneriella subcapitata, MSDS supplier).
Endpoint: LC50 - Species: Fish 0.68 mg/l - Duration h: 96h (OECD TG 203, Oncorhynchus mykiss, MSDS supplier).
Endpoint: NOEC - Species: Daphnia 0.024 mg/l (OECD TG 211, Daphnia magna, MSDS supplier).
Endpoint: NOEC - Species: Algae 0.0069 mg/l (OECD 201, Desmodesmus subspicatus, SDS supplier).
Endpoint: EC10 - Species: Algae 0.012 mg/l - Duration h: 72h (OECD 201, Desmodesmus subspicatus, SDS supplier).
- Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - CAS: 68424-85-1
- a) Aquatic acute toxicity:
Endpoint: IC50 - Species: Algae 0.049 mg/l - Duration h: 72h (OECD TG 201, Pseudokirchneriella subcapitata, MSDS supplier).
Endpoint: NOEC - Species: Daphnia 0.0042 mg/l (method EPA-FIFRA, Daphnia magna, 21 d, MSDS supplier).
Endpoint: EC50 - Species: Daphnia 0.016 mg/l - Duration h: 48h (OECD TG 202, Daphnia magna, 48 h, MSDS supplier).
Endpoint: LC50 - Species: Fish 0.515 mg/l - Duration h: 96h (method US-EPA, Lepomis macrochirus, MSDS supplier).
Endpoint: NOEC - Species: Fish 0.032 mg/l (method EPA-FIFRA, Pimephales promelas, 34 d, MSDS supplier).
- 2-aminoethanol; ethanolamine - CAS: 141-43-5
- a) Aquatic acute toxicity:
Endpoint: EC50 - Species: Daphnia 27.04 mg/l - Duration h: 48h (OECD 202, Daphnia magna, MSDS supplier).
Endpoint: IC50 - Species: Algae 2.8 mg/l - Duration h: 72h (OECD 201, Selenastrum capricornutum, MSDS supplier).
Endpoint: LC50 - Species: Fish 349 mg/l - Duration h: 96h (Cyprinus carpio, MSDS supplier).
- b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Fish 1.2 - Duration h: 30d (OECD 210, Oryzias latipes, MSDS supplier).

Safety Data Sheet
ZETA 1 ULTRA

Endpoint: NOEC - Species: Daphnia 0.85 - Duration h: 21d (OECD 211, Daphnia magna, MSDS supplier).

Isotridecanol, ethoxylated - CAS: 69011-36-5

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 2.5 mg/l - Duration h: 96h (Danio rerio, ECHA dossier).

Endpoint: EC50 - Species: Daphnia 1.5 mg/l - Duration h: 48h (Daphnia magna, ECHA dossier).

Endpoint: EC50 - Species: Algae 2.5 mg/l - Duration h: 72h (Scenedesmus subspicatus, ECHA dossier).

b) Aquatic chronic toxicity:

Endpoint: NOEC - Species: Algae 1.7 mg/l (Scenedesmus subspicatus, ECHA dossier).

Alcohols, C12-14, ethoxylatedpropoxylated - CAS: 68439-51-0

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 1 mg/l - Duration h: 24h (OECD 202 Part 1, Daphnia magna, SDS supplier).

Endpoint: IC50 - Species: Algae > 1 mg/l - Duration h: 72h (OECD 201, Desmodesmus subspicatus, SDS supplier).

Endpoint: LC50 - Species: Fish > 1 mg/l - Duration h: 48h (DIN 38412 Part 15, Leuciscus idus, SDS supplier).

Endpoint: EC10 - Species: Algae > 0.1 mg/l - Duration h: 72h (OECD 201, Desmodesmus subspicatus, SDS supplier).

D-glucopyrasone, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia 14 mg/l - Duration h: 48h (Annex of 92/69/EWG, GLP, Daphnia magna, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish 2.95 mg/l - Duration h: 96h (OECD 203, GLP, Danio rerio, freshwater, ECHA dossier).

D-Glucopyranose, oligomers, decyl octyl glycosides - CAS: 68515-73-1

a) Aquatic acute toxicity:

Endpoint: EC50 - Species: Daphnia > 100 mg/l - Duration h: 48h (OECD 202, Daphnia magna, freshwater, ECHA dossier).

Endpoint: LC50 - Species: Fish 100.81 mg/l - Duration h: 96h (ISO 7346/1-3, Danio rerio, freshwater, ECHA dossier).

Endpoint: NOEC - Species: Daphnia > 100 mg/l (similar to OECD 202, Daphnia magna, freshwater, ECHA dossier).

Endpoint: NOEC - Species: Fish 1.8 mg/l (OECD 204, read across, 28 d, Danio rerio, ECHA dossier).

Endpoint: EC10 - Species: Daphnia 1.76 (OECD 202, part II, read across, Daphnia magna, ECHA dossier).

Endpoint: IC50 - Species: Algae 37 mg/l - Duration h: 72h (DIN 38412, part 9, Scenedesmus subspicatus, ECHA dossier).

Dodecylamine - CAS: 124-22-1

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish 0.84 mg/l - Duration h: 96h (read-across, Danio rerio, ECHA dossier).

Endpoint: EC50 - Species: Daphnia 0.32 mg/l - Duration h: 48h (read-across, Daphnia magna, ECHA dossier).

12.2. Persistence and degradability

N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine - CAS: 2372-82-9

Biodegradability: Readily biodegradable

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides - CAS: 68424-85-1

Biodegradability: Readily biodegradable

2-aminoethanol; ethanolamine - CAS: 141-43-5

Biodegradability: Readily biodegradable

**Safety Data Sheet
ZETA 1 ULTRA**

Isotridecanol, ethoxylated - CAS: 69011-36-5

Biodegradability: Readily biodegradable

Alcohols, C12-14, ethoxylatedpropoxylated - CAS: 68439-51-0

Biodegradability: Readily biodegradable

D-glucopyrasone, oligomeric, C10-16-alkyl glycosides - CAS: 110615-47-9

Biodegradability: Readily biodegradable

D-Glucopyranose, oligomers, decyl octyl glycosides - CAS: 68515-73-1

Biodegradability: Readily biodegradable

Dodecylamine - CAS: 124-22-1

Biodegradability: Readily biodegradable

12.3. Bioaccumulative potential

Not available

12.4. Mobility in soil

Not available

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information**14.1. UN number**

ADR-UN Number: 1903

IATA-UN Number: 1903

IMDG-UN Number: 1903

14.2. UN proper shipping name

ADR-Shipping Name: DISINFECTANT, LIQUID, CORROSIVE,
N.O.S.(N-(3-amminopropil)-N-dodecilpropan-1,3-diammina,
Composti di ammonio quaternario,
benzil-C12-16-alchildimetil, cloruri)

IATA-Shipping Name: DISINFECTANT, LIQUID, CORROSIVE,
N.O.S.(N-(3-amminopropil)-N-dodecilpropan-1,3-diammina,
Composti di ammonio quaternario,
benzil-C12-16-alchildimetil, cloruri)

IMDG-Shipping Name: DISINFECTANT, LIQUID, CORROSIVE,
N.O.S.(N-(3-amminopropil)-N-dodecilpropan-1,3-diammina,
Composti di ammonio quaternario,
benzil-C12-16-alchildimetil, cloruri)

14.3. Transport hazard class(es)

ADR-Class: 8

ADR - Hazard identification number: 80

**Safety Data Sheet
ZETA 1 ULTRA**

IATA-Class: 8
IATA-Label: 8
IMDG-Class: 8

14.4. Packing group

ADR-Packing Group: III
IATA-Packing group: III
IMDG-Packing group: III

14.5. Environmental hazards

ADR-Environmental Pollutant: Yes
IMDG-Marine pollutant: Marine Pollutant
Most important toxic component: N-(3-aminopropyl)-N-dodecylpropane-1,3-diamine

14.6. Special precautions for user

ADR-Subsidiary hazards: -
ADR-S.P.: 274
ADR-Transport category (Tunnel restriction code): 3 (E)
IATA-Passenger Aircraft: 852
IATA-Subsidiary hazards: -
IATA-Cargo Aircraft: 856
IATA-S.P.: A3 A803
IATA-ERG: 8L
IMDG-EmS: F-A,
S-B
IMDG-Subsidiary hazards: -
IMDG-Stowage and handling: Category A
IMDG-Segregation: -

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not available

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013
Regulation (EU) 2015/830
Regulation (EU) n. 286/2011 (ATP 2 CLP)
Regulation (EU) n. 618/2012 (ATP 3 CLP)
Regulation (EU) n. 487/2013 (ATP 4 CLP)
Regulation (EU) n. 944/2013 (ATP 5 CLP)
Regulation (EU) n. 605/2014 (ATP 6 CLP)
Regulation (EU) n. 2015/1221 (ATP 7 CLP)
Regulation (EU) n. 2016/918 (ATP 8 CLP)
Regulation (EU) n. 2016/1179 (ATP 9 CLP)
Regulation (EU) n. 2017/776 (ATP 10 CLP)
Regulation (EU) n. 2018/669 (ATP 11 CLP)
Regulation (EU) n. 2018/1480 (ATP 13 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

No restriction.

Provisions related to directive EU 2012/18 (Seveso III):

Safety Data Sheet

ZETA 1 ULTRA

Seveso III category according to Annex 1, part 1
Product belongs to category: E1

WGK Classification (Water hazard class - Verwaltungsvorschrift wassergefährdende Stoffe)
WGK2 - Hazardous for water
Lagerklasse according to TRGS 510:
LGK8A: Combustible corrosive substances

Composition according to Annex VII.a of Reg. (EC) 648/2004:
15% = X < 30%: disinfectant;
5% = X < 15%: non-ionic surfactants;
<5%: *phosphonates.
*Content of Phosphorus (P) <0,5%

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:
None.

California Proposition 65
Substance(s) listed under California Proposition 65:
None.

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.
Substances for which a Chemical Safety Assessment has been carried out:
2-aminoethanol; ethanolamine

SECTION 16: Other information

Full text of phrases referred to in Section 3:
H318 Causes serious eye damage.
H373 May cause damage to organs through prolonged or repeated exposure.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H302 Harmful if swallowed.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.
H312 Harmful in contact with skin.
H332 Harmful if inhaled.
H315 Causes skin irritation.
H304 May be fatal if swallowed and enters airways.

Hazard class and hazard category	Code	Description
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Dermal	Acute toxicity (dermal), Category 4
Acute Tox. 4	3.1/4/Inhal	Acute toxicity (inhalation), Category 4
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Skin Corr. 1A	3.2/1A	Skin corrosion, Category 1A
Skin Corr. 1B	3.2/1B	Skin corrosion, Category 1B
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1

Safety Data Sheet

ZETA 1 ULTRA

STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
STOT RE 2	3.9/2	Specific target organ toxicity - repeated exposure, Category 2
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 3	4.1/C3	Chronic (long term) aquatic hazard, category 3

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Acute Tox. 4, H302	Calculation method
Skin Corr. 1C, H314	On basis of test data
Eye Dam. 1, H318	On basis of test data (pH)
STOT SE 3, H335	Calculation method
STOT RE 2, H373	Calculation method
Aquatic Acute 1, H400	Calculation method
Aquatic Chronic 1, H410	Calculation method

This document was prepared by a competent person who has received appropriate training.
Main bibliographic sources:

- ECHA – European Chemical Agency
- GESTIS - Information system on hazardous substances of the German Social Accident Insurance
- IARC – International Agency for Research on Cancer
- IPCS INCHEM – International Programme on Chemical Safety
- ISS – Istituto Superiore di Sanità
- PubChem - open chemistry database at the National Institutes of Health (NIH)

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality. It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
- ATE: Acute Toxicity Estimate
- ATEmix: Acute toxicity Estimate (Mixtures)
- CAS: Chemical Abstracts Service (division of the American Chemical Society).
- CLP: Classification, Labeling, Packaging.
- DNEL: Derived No Effect Level.
- EINECS: European Inventory of Existing Commercial Chemical Substances.
- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- GHS: Globally Harmonized System of Classification and Labeling of Chemicals.
- IATA: International Air Transport Association.
- IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
- ICAO: International Civil Aviation Organization.
- ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).
- IMDG: International Maritime Code for Dangerous Goods.

Safety Data Sheet
ZETA 1 ULTRA

INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.